SECTION II

		CORRE		ini Lisi, vo	DLUME I L	IGHT LIST, 2000		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
10954	Constitution Marina Channel Buoy						Remove from list.	
							*	12/01
*21200	CLIS Dumping Ground Lighted Buoy CDA	41 08 59 N 72 52 40 W	FIY4s		5	Yellow.	Maintained from Oct. 1 to Jun. 1. U.S. Army maintained.	
								12/01
21370	Western Long Island Sound Dumping Ground Lighted Buoy WDA	40 59 23 N 73 28 54 W	FIY4s		6	Yellow.	Maintained from Oct. 1 to June 1. U.S. Army maintained.	
		*						12/01
21830	New London Dumping Ground Lighted Buoy NDA	41 16 14 N 72 04 54 W	FIY4s			Yellow.	Maintained from Oct. 1 to June 1. U.S. Army maintained.	
		*						12/01
37320	- Channel Lighted Buoy 13	40 38 36 N 74 08 01 W	FI G 4s		4	Green.		
		*						12/01
		CORRE	CTIONS TO C. G. LIG	HT LIST, VO	LUME II L	LIGHT LIST, 2000		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8)	
12145					ixariye	Cirdolaro	Remarks	
	- Channel Buoy 8	37 14 17 N 76 52 18 W		- i o ig i i	range	Red nun.	Maintained from Mar. 15 to 15.	Dec.
	- Channel Buoy 8			··o.g·ii	Kange		Maintained from Mar. 15 to	Dec.
28670	- Channel Buoy 8 - Lighted Buoy 8	76 52 18 W		. roigin	range		Maintained from Mar. 15 to	
28670		76 52 18 W		· og.i	Kange		Maintained from Mar. 15 to 15.	
28670 28671		76 52 18 W			ivalige		Maintained from Mar. 15 to 15. Remove from list.	12/01
	- Lighted Buoy 8	76 52 18 W			ivalige		Maintained from Mar. 15 to 15. Remove from list. * Remove from list.	12/01
	- Lighted Buoy 8	76 52 18 W		. og.i	ivalige		Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list.	12/01 12/01
28671 28672	- Lighted Buoy 8 - Buoy 8A - Buoy 8B	76 52 18 W			ivalige		Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list. *	12/01 12/01
28671	- Lighted Buoy 8 - Buoy 8A	76 52 18 W			ivalige		Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list. * Remove from list.	12/01 12/01 12/01
28671 28672	- Lighted Buoy 8 - Buoy 8A - Buoy 8B - Buoy 8C	76 52 18 W	FI G 2.5s		Trainge		Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list. * Remove from list.	12/01 12/01 12/01
28671 28672 28673	- Lighted Buoy 8 - Buoy 8A - Buoy 8B	76 52 18 W	Fl G 2.5s			Red nun.	Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list. * Remove from list. *	12/01 12/01 12/01 12/01
28671 28672 28673	- Lighted Buoy 8 - Buoy 8A - Buoy 8B - Buoy 8C - South Ferry Terminal Lighted Buoy 1SF	76 52 18 W		. og.		Red nun.	Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list. * Remove from list. *	12/01 12/01 12/01
28671 28672 28673 *28699.1	- Lighted Buoy 8 - Buoy 8A - Buoy 8B - Buoy 8C	76 52 18 W	FI G 2.5s	. og.	3	Red nun.	Maintained from Mar. 15 to 15. Remove from list. * Remove from list. * Remove from list. * Remove from list. *	12/01 12/01 12/01 12/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

		CORRE	CTIONS TO C. G. LIG	SHT LIST, VO	DLUME II L	LIGHT LIST, 2000		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	Taylor Creek							
34780	- Daybeacon 2TC					TR on pile.		
	*					*	1	2/01
		CORRE	CTIONS TO C. G. LIG	HT LIST, VC	LUME III I	LIGHT LIST, 2000		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
200 2370	Charleston Entrance Lighted Whistle Buoy C	32 39 20 N 79 40 21 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (- • −).	
		*					1	2/01
	CHARLESTON ENTRANCE	(Chart 11523)						
	Charleston Harbor							
2370 200	Charleston Entrance Lighted Whistle Buoy C	32 39 20 N 79 40 21 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (- • -).	
		*					1	2/01
4035	Story River Buoy 12					Red nun.		
	*					*	1	2/01
36525	- Daybeacon 124	31 40 11 N 81 11 44 W				TR-TY on pile.		
		*					1	2/01
*36525.5	- Daybeacon 124A	31 39 58 N 80 11 48 W				TR-TY on pile.		
							1	2/01
		CORRE	CTIONS TO C. G. LIG	HT LIST, VO	LUME IV	LIGHT LIST, 2000		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
32600	- RANGE D FRONT LIGHT	30 16 08 N 88 10 39 W	Q W FI W 4s	15 17	W 5	KRW-I on dolphin.	Visible 2° each side of range Passing light visible all arour	
		*					1	2/01
32605	- RANGE D REAR LIGHT 2,909 yards, 084.8° from front light.		Iso W 6s FI W 4s	65 67	W 5	KRW-I on piles.	Visible 2° each side of range Passing light visible all arour	eline. nd.

12/01

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000								
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
905	LOOKOUT ISLAND LIGHT (C)	49 59 54 N 127 27 00 W	F FI G 5s	48	9	White circular tower with green band at top, on white rectangular building. 23	HORN: 1 blast ev 20s	(2s bl).
	*							12/01
3690	- Channel Buoy 4						Remove from list.	
							*	12/01
10300	Jim Crow Lighted Buoy 21	46 15 33 N 123 33 03 W	QG		3	Green.		
		*						12/01
11890	- Daybeacon 28	45 42 02 N 121 40 08 W				TR on pile.		
		*						12/01
12185	- LIGHT 9	45 39 26 N 121 03 30 W	FI G 4s	23	4	SG on concrete pillars.		
		*						12/01
25523	NOAA Data Lighted Buoy 46061						Remove from list.	
							*	12/01